

Revision: 07.08.2017

Printing date 12.01.2019

Version number 5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: RM 55 ASF
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture High pressure cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden

Postfach 160 D - 71349 Winnenden

*Tel.:* +49-7195-14-0 *Fax:* +49-7195-14-2212

www.karcher.com

Distributor: Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

*Tel.*: +44-1295-752-000 *Fax*: +44-1295-752-103

· Further information obtainable from:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

GB



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

(Contd. of page 1)

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

  The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Cleaning agent

· Dangerous components:		
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX	sodium lauryl ether sulfate  Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	2.5-<5%
	fatty alkohol ethoxylate  © Eye Irrit. 2, H319	1-5%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		

anionic surfactants, non-ionic surfactants, preservation agents <5% (METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE)

perfumes

· Additional information

For the wording of the listed hazard phrases refer to section 16.

Specific concentration limits available for sodium lauryl ether sulfate (CAS: 68891-38-3) based on test reports (see Section 11).

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.
- · After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 3)



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

(Contd. of page 2)

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 4)



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Do not inhale gases / fumes / aerosols.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

- · Protection of hands: Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

· Eye protection: Goggles recommended during refilling.

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical a · General Information	and chemical properties	
· Appearance:		
Form:	Fluid	
Colour:	Green	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	10	
pH-value 1 %:	7	
· Change in condition		
Melting point/freezing point:	$0~^{\circ}C$	
Initial boiling point and boiling re	ange: 100 °C	
Flash point:	Not applicable	
· Flammability (solid, gaseous)	Not applicable.	

(Contd. on page 5)



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

	(Contd. of pag
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.006 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	5 mPas
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	6.0 %
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- $\cdot \textbf{ 10.4 Conditions to avoid No further relevant information available}.$
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

(Contd. of page 5)

· Serious eye damage/irritation

68891-38-3 Sodium lauryl ether sulfate specific concentration limit for H318: 10%, H319: 5%.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Not applicable

#### 68891-38-3 sodium lauryl ether sulfate

LC50 > 10-100 mg/l (fish)

EC50 >100 mg/l (bacteria)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · Behaviour in environmental systems: No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · COD-value: 104000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 7)



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex <b>II of</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Void

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 8)



Printing date 12.01.2019 Version number 5 Revision: 07.08.2017

Trade name: RM 55 ASF

(Contd. of page 7)

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: PCD-D

· Contact:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

 $\cdot$  \* Data compared to the previous version altered.

0.011-712.0

RM 55/14

1.912

GB